

Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.

62.61

HORTUS NURSERIES
SYOSSET, LONG ISLAND, NEW YORK

Sec. 562, P. L. & R.


United States Department of Agriculture
Bureau of Plant Industry
Washington, D.C.



September 1941



Sept. 1941



HORTUS NURSERIES

SYOSSET, LONG ISLAND, NEW YORK

On Route 25-A

Mrs. W. B. Devereux, Prop.

TELEPHONE OYSTER BAY 388

Our policy is to issue seasonable folders at irregular intervals rather than a comprehensive price list.

We are prepared to furnish: Seeds, annuals, bulbs, Roses, shrubs, trees, supplies, equipment, and supervised labour for planting, grading and other garden operations.

Certain of our space now planted with perennials must be abandoned.
We offer well grown plants of the following at **SPECIAL PRICES**:

\$2.25—dozen

\$15.00—hundred

if taken before Wednesday, September 17th.

ANCHUSA MYOSOTIDIFLORA—Forget-me-not Anchusa; bright blue, 15", May.

AQUILEGIA, Long Spurred—Columbine; blues, whites, blue and white.

CAMPANULA PERSICIFOLIA, variety macrantha—Peachleaf Bellflower; violet-blue, 2/3', June-July.

HEMEROCALLIS—Day Lily **MULTIFLORA HYBRIDS**—pale yellow, tall, flowers small, July.

HEMEROCALLIS THUNBERGI—lemon yellow, tall, early July.

HEMEROCALLIS Mrs. W. H. Wyman—lemon, late July - August.

HEMEROCALLIS—sold unnamed, medium height, golden, July.

NEPETA MUSSINI—Catnip; lavender, spikes to 20", May-June; true variety with small grey-green foliage.

PHLOX ANTON MERCIER—lavender with white.

PHLOX CAMERON—true pink with white. At a short distance this looks pale pink while the Anton Mercier above looks pale lavender. Fine and hard to procure.

PHLOX—mixed shades of pink and salmon. May be chosen by colour from block.

PHYSOSTEGIA VIRGINIANA—False Dragonhead; white, 3', August. A rank grower better in a naturalistic planting than in the herbaceous border; endures light shade. Native Quebec south and west.

PLUMBAGO LARPENTAE (Ceratostigma plumbaginoides)—Leadwort; deep gentian blue, to 10", August-September foliage turns bronze; low, spreading, makes a good mat in sun and will grow in poor soil. The shoots appear late in the spring and care must be taken not to disturb it by early cultivation.

POLEMONIUM REPTANS—Jacob's Ladder; light blue spikes, 8 to 12", graceful foliage, April-May. Native New York to Alabama and west. Plant in clumps for best effect.

FRIMULA POLYANTHA—fine mixture of whites, yellows, and oranges, 8", May.

STOKESIA CYANEA—Cornflower or Stoke's Aster; large lavender-blue 18", late June-October.

TEUCRIUM CHAMAEDRYS—Germander; glossy leaved evergreen producing spikes of rosy purple flowers to 12" in July-August. Clipped this gives much the effect of a Boxwood edging. Sometimes killed to the ground in winter but comes up from the roots.

THALICTRUM GLAUCUM—Dusty Meadowrue; bluish-green foliage, feathery sulphur-yellow bloom, 3', June-July. Good companion for Delphinium.

VERONICA SPICATA NANA ALBA—Speedwell; white spikes to 18", July-September if early bloom is cut back.

VIOLA ROSINA—a hardy pink to deep rose violet, 6", deliciously fragrant. Blooms in spring and again, less heavily, in fall.

No fewer than six of one kind and variety and no order for less than one dozen plants will be sold at these special prices. In smaller quantities our regular rates of 3 for 90c, 6 or more at 25c each will apply.

SEED MIXTURE for WILD BIRDS 50 LB. BAG \$5.00

Let birds become accustomed to your feeding station before winter sets in.